



UTTARAKHAND STATE VETERINARY COUNCIL

Certificate Under Section 46 of the Indian Veterinary Council Act, 1984

Registration Certificate



Reference No. :- **E-12/19**

Registration No. - U.V.C. **1131**

This is to certify that Dr. **EKTA BISHT** S/O, D/O **GOPAL SINGH**
whose Date of Birth is **03.01.1998** and Qualification (Degree) **B.V.Sc. & A.H.** University **G. B. PANT**
UNIVERSITY OF AGRI AND TECH, PANTNAGAR Year of passing **2022** Resident of **VILL : KWARAB,**
P.O. : DIYARI, DISTT. : NAINITAL, PIN CODE : 263138, UTTARAKHAND

has been duly registered as **Registered Veterinary Practitioner**, with the **Uttarakhand Veterinary Council**, and is entitled with the privileges granted to the practitioner under Indian Veterinary Council Act. 1984 (52 of 1984)

He/She is authorised to practise Veterinary Profession in the
State of Uttarakhand

In witness there of are here with affixed the seal of the
Uttarakhand Veterinary Council

Certified that this is a true copy of the above specified name in the Uttarakhand Veterinary practitioner's register. In witness there of the seal of Uttarakhand Veterinary Council and the Signature of the Registrar are affixed below. This certificate is valid as per the provision of the Indian Veterinary Council Act. 1984, for a period of five years from the date of issue and requires renewal.

Date of issue :- **22/12/2022**

Valid up to :- **21/12/2027**

SEAL


Registrar

IMPORTANT

1. Every registered veterinary practitioner should be careful to send to the REGISTRAR immediate notice of any change of his address & also answer all the queries. may be sent to him by the Registrar in regard there to
2. All persons registered under Indian Veterinary Council Act 1984 are legally qualified to practise Veterinary medicine.
3. In case a duplicate certificate is issued as provided under regulation 10, the word "DUPLICATE" shall be printed in the block letter on top right hand corner of the certificate
4. This certificate is valid for five years from the date of issue.